Author Index

Akamatsu, Y., see Masumi, A. (1145) 227
Alonso-Romanowski, S., see Viera, L.I. (1145) 157

Bali, J.-P., see Romano, R. (1145) 235
Báthori, G., Sahin-Tóth, M., Fonyó, A. and Ligeti, E.
Transport properties and inhibitor sensitivity of isolated and reconstituted porin differ from those of intact mitochondria (1145) 168
Bayerl, T.M., see Romano, R. (1145) 235
Beaugé, L., see DiPolo, R. (1145) 75
Boggs, J.M. and Tümmler, B.
Interdigitated gel phase bilayers formed by unsaturated synthetic and bacterial glycerolipids in the presence of polymyxin B and glycerol (1145) 42
Borovyagin, V., see Viera, L.I. (1145) 157
Borst-Pauwels, G.W.F.H.
Mutual interaction of ion uptake and membrane potential (1145) 15
Bradshaw, J.P., see Duff, K.C. (1145) 149
Brasseur, R., see Martin, I. (1145) 124
Brinkmeier, H., Mutz, J.V., Seewald, M.J., Melzner, I. and Rüdel, R.
Specific modifications of the membrane fatty acid composition of human myotubes and their effects on the muscular sodium channels (1145) 8
Broomfield, S.J. and Hooper, N.M.
Characterization of an antibody to the cross-reacting determinant of the glycosyl-phosphatidylinositol anchor of human membrane dipeptidase (1145) 212
Brumbaugh, E.E., see Huang, C. (1145) 298
Butterfield, D.A., see Hensley, K. (1145) 205

Ceolotto, C., see Simbeni, R. (1145) 1
Clark, C.M., see Goodlad, G.A.J. (1145) 177
Connell, G.J., see Hsu, Y.-T. (1145) 85
Cragoe Jr., E.J., see Haworth, R.S. (1145) 266
Cudmore, A.J., see Duff, K.C. (1145) 149

Daum, G., see Simbeni, R. (1145) 1
De, E., see Saint, N. (1145) 119
Decroly, E., see Martin, I. (1145) 124
Defrise-Quertain, F., see Martin, I. (1145) 124
Deykin, D., see Jansen, G.J. (1145) 113
DiPolo, R. and Beaugé, L.
In squid axons the Ca_i^{2+} regulatory site of the Na^+/Ca^{2+} exchanger is drastically modified by sulfhydryl blocking agents. Evidences that intracellular Ca_i^{2+} regulatory and transport sites are different (1145) 75
Disalvo, E.A., see Viera, L.I. (1145) 157
Dobbs, P., see Hensley, K. (1145) 205
Duff, K.C., Cudmore, A.J. and Bradshaw, J.P.
The location of amantadine hydrochloride and free base within phospholipid multilayers: a neutron and X-ray diffraction study (1145) 149
Dufresne, M., see Romano, R. (1145) 235

Feliz, M.R., see Viera, L.I. (1145) 157
Fliegel, L., see Haworth, R.S. (1145) 266
Fonyó, A., see Báthori, G. (1145) 168
Fuhrmann, G.F. and Völker, B.
Misuse of graphical analysis in nonlinear sugar transport kinetics by Eadie-Hofstee plots (1145) 180

Ganapathy, V., see Ramamoorthy, S. (1145) 250
Glabe, C.G., see Miraglia, S.J. (1145) 191
Gómez-Fernández, J.C., see Salgado, J. (1145) 284
Goodlad, G.A.J. and Clark, C.M.
Actin and actin-binding proteins in plasma membranes derived from Walker 256 ascites or solid tumour cells (1145) 177
Gulve, E.A., see Ren, J.-M. (1145) 199

Hale, C.C., see Ross, C.R. (1145) 219
Handa, T., see Yamamoto, I. (1145) 293
Härmälä, A.-S., see Jansson, C. (1145) 311
Haworth, R.S., Cragoe Jr., E.J. and Fliegel, L.
Amiloride and 5-(*N*-ethyl-*N*-isopropyl)amiloride inhibit medium acidification and glucose metabolism by the fission yeast *Schizosaccharomyces pombe* (1145) 266
Hayashi, Y., see Mimura, K. (1145) 63
Henriksen, E.J., see Ren, J.-M. (1145) 199
Hensley, K., Postlewaite, J., Dobbs, P. and Butterfield, D.A.
Alteration of the erythrocyte membrane via enzymatic degradation of ankyrin (band 2.1): subcellular surgery characterized by EPR spectroscopy (1145) 205
Hirota, Y., see Ishida, H. (1145) 58
Holloszy, J.O., see Ren, J.-M. (1145) 199
Hooper, N.M., see Broomfield, S.J. (1145) 212
Hsu, Y.-T., Wong, S.Y.C., Connell, G.J. and Molday, R.S.
Structural and functional properties of rhodopsin from rod outer segment disk and plasma membrane (1145) 85
Huang, C., Wang, Z.-q., Lin, H.-n. and Brumbaugh, E.E.
Calorimetric studies of fully hydrated phosphatidylcholines with highly asymmetric acyl chains (1145) 298
Hubbell, T., see Woodford, J.K. (1145) 257
Hui, S.W., see Webb, M.S. (1145) 93

Imanishi, Y., see Otoda, K. (1145) 33
Ishida, H., Hirota, Y. and Nakazawa, H.
Effect of sub-skinning concentrations of saponin on intracellular Ca^{2+} and plasma membrane fluidity in cultured cardiac cells (1145) 58

Janes, N., see Wang, D.-C. (1145) 141
Jansen, G.J., Pritzker, C.R. and Deykin, D.
Porcine aortic endothelial cell membranes contain a LPAF:CoA-independent transacylase (1145) 113
Jansson, C., Härmälä, A.-S., Toivola, D.M. and Slotte, J.P.
Effects of the phospholipid environment in the plasma membrane on receptor interaction with the adenylyl cyclase complex of intact cells (1145) 311
Jefferson, J.R., see Woodford, J.K. (1145) 257

Jendrasiak, G.L., Smith, R. and Ribeiro, A.A.
Chaotropic anion–phosphatidylcholine membrane interactions: an ultra high field NMR study (1145) 25
Julien, S., see Saint, N. (1145) 119

Kanaoka, Y., see Nakayama, H. (1145) 134
Kangawa, K., see Nakayama, H. (1145) 134
Kempfle, M.A., see Kühn-Velten, W.N. (1145) 185
Kimura, S., see Otoda, K. (1145) 33
Kitagawa, T., see Masumi, A. (1145) 227
Kobayashi, M., see Nakayama, H. (1145) 134
Kubinak, S., see Ross, C.R. (1145) 219
Kühn-Velten, W.N. and Kempfle, M.A.
Characterization of the hydrophobic interaction of steroids with endoplasmic reticulum membranes by quenching of 6,8(14)-bisdehydro-17α-hydroxyprogesterone fluorescence (1145) 185
Kulanthaivel, P., see Ramamoorthy, S. (1145) 250
Kuryshev, Y.A., see Naumov, A.P. (1145) 273

Leibach, F.H., see Ramamoorthy, S. (1145) 250
Ligeti, E., see Báthori, G. (1145) 168
Lin, H.-n., see Huang, C. (1145) 298

Mahesh, V.B., see Ramamoorthy, S. (1145) 250
Martin, I., Defrise-Quertain, F., Decroly, E., Vandenbranden, M., Brasseur, R. and Ruysschaert, J.-M.
Orientation and structure of the NH_2-terminal HIV-1 gp41 peptide in fused and aggregated liposomes (1145) 124
Masumi, A., Akamatsu, Y. and Kitagawa, T.
Modulation of the synthesis and glycosylation of the glucose transporter protein by transforming growth factor-β1 in Swiss 3T3 fibroblasts (1145) 227
Matsui, H., see Mimura, K. (1145) 63
Matsuo, H., see Nakayama, H. (1145) 134
Mazumi, T., see Yamamoto, I. (1145) 293
McGivan, J.D., see Plakidou-Dymock, S. (1145) 105
Melzner, I., see Brinkmeier, H. (1145) 8
Millner, R., see Pohl, P. (1145) 279
Mimura, K., Matsui, H., Takagi, T. and Hayashi, Y.
Change in oligomeric structure of solubilized Na^+/K^+-ATPase induced by octaethylene glycol dodecyl ether, phosphatidylserine and ATP (1145) 63
Miraglia, S.J. and Glabe, C.G.
Characterization of the membrane-associating domain of the sperm adhesive protein, bindin (1145) 191
Miyajima, K., see Yamamoto, I. (1145) 293
Molday, R.S., see Hsu, Y.-T. (1145) 85
Molle, G., see Saint, N. (1145) 119
Moroder, L., see Romano, R. (1145) 235
Mozhayeva, G.N., see Naumov, A.P. (1145) 273
Mutz, J.V., see Brinkmeier, H. (1145) 8

Nakayama, H., Nakayama, K.-i., Nonomura, Y., Kobayashi, M., Kangawa, K., Matsuo, H. and Kanaoka, Y.
A topographical study of the electroplax sodium channel with site-directed antibodies (1145) 134
Nakayama, K.-i., see Nakayama, H. (1145) 134
Nakazawa, H., see Ishida, H. (1145) 58
Naumov, A.P., Kuryshev, Y.A. and Mozhayeva, G.N.
Multiple conductance levels of calcium-permeable channels activated by epidermal growth factor in A431 carcinoma cells (1145) 273
Nonomura, Y., see Nakayama, H. (1145) 134

Orange, N., see Saint, N. (1145) 119
Östman, A.-L., see Slotte, J.P. (1145) 243

Otoda, K., Kimura, S. and Imanishi, Y.
Orientation change of glycopeptide in lipid bilayer membrane induced by lectin binding (1145) 33

Paltauf, F., see Simbeni, R. (1145) 1
Plakidou-Dymock, S. and McGivan, J.D.
The oligomeric structure of renal aminopeptidase N from bovine brush-border membrane vesicles (1145) 105
Pohl, P., Rosenfeld, E. and Millner, R.
Effects of ultrasound on the steady-state transmembrane pH gradient and the permeability of acetic acid through bilayer lipid membranes (1145) 279
Postlewaite, J., see Hensley, K. (1145) 205
Pritzker, C.R., see Jansen, G.J. (1145) 113
Prost, M.-C., see Romano, R. (1145) 235

Ramamoorthy, S., Kulanthaivel, P., Leibach, F.H., Mahesh, V.B. and Ganapathy, V.
Solubilization and functional reconstitution of the human placental taurine transporter (1145) 250
Ren, J.-M., Youn, J.H., Gulve, E.A., Henriksen, E.J. and Holloszy, J.O.
Effects of alkaline pH on the stimulation of glucose transport in rat skeletal muscle (1145) 199
Ribeiro, A.A., see Jendrasiak, G.L. (1145) 25
Romano, R., Dufresne, M., Prost, M.-C., Bali, J.-P., Bayerl, T.M. and Moroder, L.
Peptide hormone–membrane interactions. Intervesicular transfer of lipophilic gastrin derivatives to artificial membranes and their bioactivities (1145) 235
Rosenfeld, E., see Pohl, P. (1145) 279
Ross, C.R., Kubinak, S. and Hale, C.C.
Purification of a basic fibroblast growth factor-binding proteoglycan from bovine cardiac plasma membrane (1145) 219
Rubin, E., see Wang, D.-C. (1145) 141
Rüdel, R., see Brinkmeier, H. (1145) 8
Ruysschaert, J.-M., see Martin, I. (1145) 124

Sahin-Tóth, M., see Báthori, G. (1145) 168
Saint, N., De, E., Julien, S., Orange, N. and Molle, G.
Ionophore properties of OmpA of *Escherichia coli* (1145) 119
Salgado, J., Villalaín, J. and Gómez-Fernández, J.C.
Effects of platelet-activating factor and related lipids on dielaidoylphosphatidylethanolamine by DSC, FTIR and NMR (1145) 284
Schmidt, M., see Simbeni, R. (1145) 1
Schroeder, F., see Woodford, J.K. (1145) 257
Seewald, M.J., see Brinkmeier, H. (1145) 8
Simbeni, R., Tangemann, K., Schmidt, M., Ceolotto, C., Paltauf, F. and Daum, G.
Import of phosphatidylserine into isolated yeast mitochondria (1145) 1
Slotte, J.P. and Östman, A.-L.
Oxidation/isomerization of 5-cholesten-3β-ol and 5-cholesten-3-one to 4-cholesten-3-one in pure sterol and mixed phospholipid-containing monolayers by cholesterol oxidase (1145) 243
Slotte, J.P., see Jansson, C. (1145) 311
Smith, R., see Jendrasiak, G.L. (1145) 25
Steponkus, P.L., see Webb, M.S. (1145) 93

Takagi, T., see Mimura, K. (1145) 63
Tangemann, K., see Simbeni, R. (1145) 1
Taraschi, T.F., see Wang, D.-C. (1145) 141
Toivola, D.M., see Jansson, C. (1145) 311

Tomita, T., Watanabe, M. and Yarita, Y.
Assembly and channel-forming activity of a naturally-occurring nicked molecule of *Staphylococcus aureus* α-toxin (1145) 51
Tümmler, B., see Boggs, J.M. (1145) 42

Vandenbranden, M., see Martin, I. (1145) 124
Viera, L.I., Alonso-Romanowski, S., Borovyagin, V., Feliz, M.R. and Disalvo, E.A.
Properties of gel phase lipid-trehalose bilayers upon rehydration (1145) 157
Villalaín, J., see Salgado, J. (1145) 284
Völker, B., see Fuhrmann, G.F. (1145) 180

Wang, D.-C., Taraschi, T.F., Rubin, E. and Janes, N.
Configurational entropy is the driving force of ethanol action on membrane architecture (1145) 141
Wang, Z.-q., see Huang, C. (1145) 298
Watanabe, M., see Tomita, T. (1145) 51
Webb, M.S., Hui, S.W. and Steponkus, P.L.
Dehydration-induced lamellar-to-hexagonal-II phase transitions in DOPE/DOPC mixtures (1145) 93
Wong, S.Y.C., see Hsu, Y.-T. (1145) 85
Wood, W.G., see Woodford, J.K. (1145) 257
Woodford, J.K., Jefferson, J.R., Wood, W.G., Hubbell, T. and Schroeder, F.
Expression of liver fatty acid binding protein alters plasma membrane lipid composition and structure in transfected L-cell fibroblasts (1145) 257

Yamamoto, I., Mazumi, T., Handa, T. and Miyajima, K.
Effects of 1,2-diacylglycerol and cholesterol on the hydrolysis activity of phospholipase D in egg-yolk phosphatidylcholine bilayers (1145) 293
Yarita, Y., see Tomita, T. (1145) 51
Youn, J.H., see Ren, J.-M. (1145) 199